pi-partphys-322

Comment on ‘Causality-violating Higgs singlets at the LHC’

Steffen Gielen*
Riemann Center for Geometry and Physics, Leibniz Universität Hannover, Appelstraße 2, 30167 Hannover, Germany and
Perimeter Institute for Theoretical Physics, 31 Caroline St. N., Waterloo, Ontario N2L 2Y5, Canada

The spacetime of [1] supposedly admitting closed timelike curves (CTCs) is flat spacetime with a compactified coordinate, and can only contain CTCs if the compact direction becomes timelike. The analysis of [1] suggesting the generic existence of CTCs is based on misconceptions about general relativity: There is no time travel for Higgs particles, unless the world is periodic in time.

PACS numbers: 04.20.Cv, 04.20.Jb

arXiv:1302.1711v2 [hep-ph] 19 Mar 2013

Solutions of general relativity that permit “time travel” on closed timelike curves (CTCs) have a long history, the Gödel solution [2] being probably the most famous example. It is now established that CTCs occur in rather generic situations in general relativity, although the associated solutions often display singularities. [1] claims to construct a new class of such solutions in five spacetime dimensions, free of any pathologies, of the form

$$\begin{aligned} ds^2 &= -d\mathbf{x}\cdot d\mathbf{x} + dt^2 + 2g(u)\,dt\,du - h(u)\,du^2 \qquad (1)\\ &= -d\mathbf{x}\cdot d\mathbf{x} + (dt + g(u)\,du)^2 - (g^2(u)+h(u))du^2\,, \end{aligned}$$

where $g^2 + h > 0$ everywhere so that the metric has signature $(+----)$; u is compactified with period L.

Does (1) admit CTCs? To answer this question it is helpful to change coordinates to $\overline{t}$ and $\overline{u}$ defined by

$$\overline{t} = t + \int_0^u du'\, g(u')\,, \quad \overline{u} = \int_0^u du'\,\sqrt{g^2(u')+h(u')}\,, \quad (2)$$

so that (1) just becomes the flat Minkowski metric. In the new coordinates, the periodic identification of u means that $(\overline{t},\overline{u})$ is to be identified with $(\overline{t}+L\,\overline{g},\overline{u}+L\,\overline{D})$, where

$$\overline{g} = \frac{1}{L}\int_0^L du\, g(u)\,, \quad \overline{D} = \frac{1}{L}\int_0^L du\,\sqrt{g^2(u)+h(u)} \quad (3)$$

(in much of the analysis of [1] $\overline{D}=1$). The $(\overline{t},\overline{u})$-plane is depicted in Fig. 1, where points specified by the same symbol are to be thought of as identified. Apart from these identifications, it is just a portion of flat spacetime, where geodesics are straight lines, and a curve can only be timelike if its tangent vector is always at an angle of less than 45° with the vertical axis [3]. It is then obvious that a CTC will exist if and only if $|\overline{g}| > \overline{D}$; in that case there will also be a closed timelike geodesic (so that the restriction to geodesics made in [1] is not relevant).

Looking at (3) $|\overline{g}| > \overline{D}$ is only possible if h becomes negative for some u, so that the compactified direction given by $\partial/\partial u$ becomes timelike if one moves away from the brane. CTCs obviously exist in Minkowski spacetime with periodically identified timelike direction, but in [1] they seem to be more generic and not tied to the case $h < 0$. Looking at Sec. IIIA in [1] one can see why: “*By definition, a CTC is a geodesic that returns a particle to the same space coordinates from which it left, with an arrival time before it left.*” Of course, apart from the unnecessary restriction to geodesics, on a CTC one can return to the same point in space *and* time. We have shown that this is not possible unless $|\overline{g}| > \overline{D}$ and one has compactified time. The analysis of [1] is misleading.



FIG. 1: Flat spacetime with periodic identification.

In App. A of [1] another “proof” of the existence of CTCs is given, based on the failure of the coordinate t to be a time function. By computing the inverse metric of (1) one sees that $\mathbf{g}(dt,dt) = g^{tt} = h/(g^2+h)$ so that t is a time function and no CTCs can exist if $h > 0$ everywhere. This is fully compatible with our previous analysis.

Acknowledgments. I am supported by a Riemann Fellowship of the Riemann Center for Geometry and Physics. Research at Perimeter Institute is supported by the Government of Canada through Industry Canada and by the Province of Ontario through the Ministry of Research & Innovation.

---

* Electronic address: sgielen@perimeterinstitute.ca

[1] C. M. Ho and T. J. Weiler, *Phys. Rev. D* **87**, 045004 (2013).
[2] K. Gödel, *Rev. Mod. Phys.* **21**, 447–450 (1949).

[3] Such a curve can also be null or spacelike since we are ignoring motion in the spacelike x directions.